

EMPIRE COLLECTION

Stunning display

In its different colour versions - White, Black and Silver – Empire Collection as a unique, elegant style that fits attractively into any context.

Designed for product display in pastry shops, ice-cream parlours, restaurants, bars and more, it highlights contents in a context of prestige and exclusiveness.

The display compartment in tempered glass throughout, with innovative shelf support system, increases visibility from any angle.

The elegant dimensions and slender structure with integral “invisible” handle multiple display space and optimise visibility from the first to the last shelf.

The LED lighting creates a luminous, inviting interior.

Empire Collection is the perfect, magical blend of performance and elegance, for stunning display.



EMPIRE COLLECTION

UPRIGHT REFRIGERATED DISPLAY UNITS



Display compartment made in tempered glass throughout, externally screen-silk printed



High brightness LED lighting positioned on ceiling of the display compartment and on the door



Lower structure made in special steel with wheels



Digital control panel with electronic PCB, HACCP alarms



Different colors available



P8Q...

Elegant and luminous

+2°C ÷ +10°C

- Display compartment made of tempered glass throughout with 5 tempered glass shelves (cm 70 x 47, max load 12 kg each), rear support racks in AISI 304 stainless steel
- Ventilated refrigeration system by means of an evaporator positioned in the lower structure
- Air defrost, climate class 4 (room temperature +30°C and 55% relative humidity)
- Integrated wheels hidden in the structure
- Installation allowed up to 800 meters above sea level (for higher installations contact the manufacturer).



G8Q...

Display with class

-25°C ÷ -15°C

- Display compartment made of tempered glass throughout with 5 evaporating grids (cm 65 x 46) and 1 display shelf
- Static refrigeration system by means of evaporating grids
- Anti-condensation electric elements on the glass
- Display bottom of the display compartment with hole for condensation drainage
- Manual defrost, climate class 4 (room temperature +30°C and 55% relative humidity)
- Integrated wheels hidden in the structure
- Installation allowed up to 800 meters above sea level (for higher installations contact the manufacturer).



P8QV



G8QX

EMPIRE COLLECTION

UPRIGHT REFRIGERATED DISPLAY UNITS



Display compartment made in tempered glass throughout, externally screen-silk printed



High brightness LED lighting positioned on ceiling of the display compartment and on the door



Lower structure made in special steel with wheels



Digital control panel with electronic PCB, HACCP alarms



... V



... X



... A

Different colors available



Perfect in looks and technology

 -22°C ÷ +5°C

- Display compartment made of tempered glass throughout with 5 tempered glass shelves (cm 70 x 47, max load 12 kg each), rear support racks in AISI 304 stainless steel
- Ventilated refrigeration system by means of an evaporator positioned on the ceiling of the display compartment hold in an AISI stainless steel box
- Anti-condensation electric elements on the glass
- Hot gas defrost, climate class 4 (room temperature +30°C and 55% relative humidity)
- Integrated wheels hidden in the structure
- Installation allowed up to 800 meters above sea level (for higher installations contact the manufacturer).



D8QA

UPRIGHT REFRIGERATED DISPLAY UNITS

EMPIRE COLLECTION

Upright refrigerated display unit with lower structure made of special stainless steel, display compartment made of tempered glass throughout, externally screen-silk printed, lighting through high brightness LED, digital control panel with electronic PCB and capacitive keys, HACCP alarms. For

models P/D...: refrigerated display with 5 shelves (max load 12 kg). For models G...: 5 evaporating grids and 1 support shelf. Installation allowed to an altitude up to 800 metres above sea level (for upper installations please contact the manufacturer).

	MOD.	DESCRIZIONE				
	P8QA	REFRIGERATED DISPLAY UNIT +2 ÷ +10°C COLOR BLACK	80,5X64,5X184	0,65		230V 1N~ / 50HZ
	D8QA	REFRIGERATED DISPLAY UNIT -22 ÷ +5°C COLOR BLACK	80,5X64,5X184	2		230V 1N~ / 50HZ
	G8QA	REFRIGERATED DISPLAY UNIT -25 ÷ -15°C COLOR BLACK	80,5X64,5X184	1,05		230V 1N~ / 50HZ
	P8QV	REFRIGERATED DISPLAY UNIT +2 ÷ +10°C COLOR WHITE	80,5X64,5X184	0,65		230V 1N~ / 50HZ
	D8QV	REFRIGERATED DISPLAY UNIT -22 ÷ +5°C COLOR WHITE	80,5X64,5X184	2		230V 1N~ / 50HZ
	G8QV	REFRIGERATED DISPLAY UNIT -25 ÷ -15°C COLOR WHITE	80,5X64,5X184	1,05		230V 1N~ / 50HZ
	P8QX	REFRIGERATED DISPLAY UNIT +2 ÷ +10°C COLOR GREY	80,5X64,5X184	0,65		230V 1N~ / 50HZ
	D8QX	REFRIGERATED DISPLAY UNIT -22 ÷ +5°C COLOR GREY	80,5X64,5X184	2		230V 1N~ / 50HZ
	G8QX	REFRIGERATED DISPLAY UNIT -25 ÷ -15°C COLOR GREY	80,5X64,5X184	1,05		230V 1N~ / 50HZ

ACCESSORIES

	MOD.	DESCRIZIONE				
	RV70	TEMPERED GLASS SHELF FOR P8Q/ D8Q	71X47X6			
	KRVS	5 GLASS SHELVES FOR REFREGERATED DISPLAY G...	65X42X0,6			
	KSR25KGP	2 FRONT BEARING SUPPORTS TO P8...	106,6X3,8X1,7			
	KSR25KGD	2 FRONT BEARING SUPPORTS TO D8...	106,6X3,8X1,7			